



Docket No.: 071971-0203

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of : Customer Number: 20277
Akira KAWABE, et al. : Confirmation Number: 9488
Application No.: 10/533,434 : Group Art Unit: 2627
Filed: May 02, 2005 : Examiner: Christopher Ray Lamb
For: PHASE ERROR DETECTING CIRCUIT AND SYNCHRONIZATION CLOCK
EXTRACTION CIRCUIT

PETITION FOR EXTENSION OF TIME

Mail Stop AF
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450


Sir:

It is respectfully requested that the time for response to the Office Action dated May 1, 2007, now due to expire August 1, 2007, be extended for one month(s) and set to expire on September 1, 2007.

Please charge the extension fee of \$120.00 to Deposit Account No. 500417. Please charge any additional fees or credit any overpayment to Deposit Account No. 500417.

Respectfully submitted,

McDERMOTT WILL & EMERY LLP


Michael E. Fogarty
Registration No. 36,139

**Please recognize our Customer No. 20277
as our correspondence address.**

600 13th Street, N.W.
Washington, DC 20005-3096
Phone: 202.756.8000 MEF:lnm
Facsimile: 202.756.8087
Date: September 4, 2007
WDC99 1446497-1.071971.0203

09/05/2007 DENMANU1 03000050 500417 10533434
01 FD:1251 120.00 DA